Wood Science and Technology

Journal devoted to all aspects
of wood and pulp science and technology

In cooperation with the
International Academy of Wood Science (IAWS)

Editor: **F. F. P. Kollmann**, München

Editorial Board:

J. D. Boyd Melbourne
J. Collardet Paris
F. E. Dickinson Richmond
A. Frey-Wyssling Zürich
K. Kratzl Wien
W. Liese Hamburg
T. E. Timell Syracuse
A. Ylinen Helsinki

Volume 4
1970

Springer-Verlag
New York · Heidelberg · Berlin

The copyright for all languages and countries, including the right to reproduce by photographic or other means, is transferred to the publishers as soon as the manuscript is accepted and published by them.

The reproduction of registered names, trade marks, etc. in this journal, even if not specially indicated, does not warrant the assumption that such names, as defined by the laws affecting protection of trade marks, etc., may be regarded as unrestricted and therefore free for unrestricted use.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin

Printed in Germany — Copyright © by Springer-Verlag Berlin Heidelberg 1970.

Contents

Originals

ANANTHANARAYANAN, S., WAJID, S. A., and PADMANABHAN, S.: Studies on Enzymatically Liberated Lignin in some Indian Hardwoods. 213

BIBLIS, E. J., and YEN-MING CHIU: Flexural Strength and Stiffness of Southern Pine Plywood. 70

BORGIN, K., and CORBETT, K.: Improvement of Capillary Penetration of Liquids into Wood by Use of Supersonic Waves. 189

BURLEY, J.: Variation in Wood Properties of *Pinus kesiya Royle* ex Gordon (syn. *P. Khasya Royle*; *P. insularis* Endlicher); Eighteen Trees of Burma Provenance Grown in Zambia. 255

BURLEY, J., and ANDREW, I. A.: Variation in Wood Properties of *Pinus kesiya Royle* ex Gordon; Six Trees of Assam Provenance Grown in Zambia. 195

BURLEY, J., ADLARD, P. G., and WATERS, P.: Variances of Tracheid Lengths in Tropical Pines from Central Africa. 36

BURLEY, J., POSNER, T., and WATERS, P.: Sampling Techniques for Measurement of Fibre Length in Eucalyptus Species. 240

CALLETON, R. L., CHOONG, E. T., and MCILHENNY, R. C.: Treatments of Southern Pine with Vinyl Chloride and Methyl Methacrylate for Radiation Produced Wood-Plastic Combinations. 216

ESLYN, W. E.: Utility Pole Decay — Part II: Basidiomycetes Associated with Decay in Poles. 97

FENGEL, D.: The Ultrastructure of Cellulose from Wood. Part 2: Problems of the Isolation of Cellulose. 15

FENGEL, D.: Ultrastructural Changes During Aging of Wood Cells. 176

HALLIGAN, A. F.: A Review of Thickness Swelling in Particle Board. 301

HART, J. H., and JOHNSON, K. C.: Production of Decay-Resistant Sapwood in Response to Injury. 267

HEMINGWAY, R. W., and HILLIS, W. E.: Heartwood Formation in Living Stumps of Douglas-Fir. 246

HOFFMANN, G. C., and TIMELL, T. E.: Isolation of β-1,3-Glucan (Laricinan) from Compression Wood of *Larix laricina*. 159

KEILICH, G., BAILEY, P., and LIESE, W.: Enzymatic Degradation of Cellulose, Cellulose Derivatives and Hemicelluloses in Relation to the Fungal Decay of Wood. 273

KRAHMER, R. L., HEMINGWAY, R. W., and HILLIS, W. E.: The Cellular Distribution of Lignans in *Tsuga heterophylla* Wood. 122

ŁAWNICZAK, M., and RACZKOWSKI, J. R.: The Influence of Extractives on the Radiation Stability of Wood. 45

LESSE, P. F.: A Remark on the Formulation of the Governing Equation for the Transport of Moisture in Wood. 155

MURMANIS, L: Locating the Initial in the Vascular Cambium of *Pinus strobus* L. by Electron Microscopy. 1

NANASSY, A. J.: Overlapping of Dielectric Relaxation Spectra in Oven-Dry Yellow Birch at Temperatures from 20 to 100 °C. 104

NARAYANAMURTI, D., JAYARAMAN, T. M., THACKER, R., and ANANTHANARAYANAN, S.: Note on Radiation Processed Wood-Plastic Materials. 226
NICHOLLS, G. A.: An Interpretive View of Refiner Pulping. 292
PETTY, J. A., and PURITCH, G. S.: The Effects of Drying on the Structure and Permeability of the Wood of *Abies grandis*. 140
PRAK, A. L.: Unsteady-State Gas Permeability of Wood. 50
SCOTT, J. A. N., and GORING, D. A. I.: Photolysis of Wood Microsections in the Ultraviolet Microscope. 237
STAMM, A. J.: Variations of Maximum Tracheid and Pit Pore Dimensions from Pith to Bark for Ponderosa Pine and Redwood before and after Drying Determined by Liquid Displacement. 81
TAMBURINI, U.: A New Balance for the Statement of Weight Changes during Sorption Measurements. 78
TAMBURINI, U.: Alkaline Degradation of Wood: Effects on Young's Modulus. 284
YAO, J.: Influence of Growth Rate on Specific Gravity and other Selected Properties of Loblolly Pine. 163

Letters to the Editor

MALONEY, T. M.: Fourth Particleboard Symposium Held at Washington State University. 313

IAWS Bulletin Board, pp. I-VII

Author Index

ADLARD, P. G. 36
ANANTHANARAYANAN, S. 213, 226
ANDREW, I. A. 195
BAILEY, P. 273
BIBLIS, E. J. 70
BORGIN, K. 189
BURLEY, J. 36, 195, 240, 255
CALLETON, R. L. 216
YEN-MING CHIU 70
CHOONG, E. T. 216
CORBETT, K. 189
ESLYN, W. E. 97
FENGEL, D. 15, 176
GORING, D. A. I. 237
HALLIGAN, A. F. 301
HART, J. H. 267
HEMINGWAY, R. W. 122, 246
HILLIS, W. E. 122, 246
HOFFMANN, G. C. 159
JAYARAMAN, T. M. 226
JOHNSON, K. C. 267
KEILICH, G. 273
KRAHMER, R. L. 122
ŁAWNICZAK, M. 45
LESSE, P. F. 155
LIESE, W. 273
MALONEY, T. M. 313
MCILHENNY, R. C. 216
MURMANIS, L. 1
NANASSY, A. J. 104
NARAYANAMURTI, D. 226
NICHOLLS, G. A. 292
PADMANABHAN, S. 213
PETTY, J. A. 140
POSNER, T. 240
PRAK, A. L. 50
PURITCH, G. S. 140
RACZKOWSKI, J. R. 45
SCOTT, J. A. N. 237
STAMM, A. J. 81
TAMBURINI, U. 78, 284
THACKER, R. 226
TIMELL, T. E. 159
WAJID, S. A. 213
WATERS, P. 36, 240
YAO, J. 163

Information for Authors

Original papers describing research in the fields of wood science and technology, including pulping processes and pulp properties, will be considered for publication. Review papers in these areas will also be accepted. Articles must be written in English with consistent use of either American or British spelling. They must represent an original contribution and may not, after acceptance, be submitted for publication elsewhere.

Manuscripts: Manuscripts should be typed with double space and a wide margin. Major and minor headings should be centered on the page and have initial capitals where proper. The title heading should be followed by the author's name and professional affiliation. The complete address of each author is given at the end of the paper. The abstract should present the highlights of the paper in a concise form, suitable for direct use in the abstract literature. Acknowledgements should be made in a footnote to the title heading. Latin names to be printed in italic type should be underlined with a sinuous line.

Literature references: Either one of two reference systems can be used. In the first, each citation is complete, and the reference is by author and year of publication. References are listed alphabetically at the end of the paper according to the first author. Volume number of journals is printed in boldface. Names of journals should be abbreviated according to Chemical Abstracts, Biological Abstracts, or Forestry Abstracts, with preference in this order.

Journal Articles:
Liese, W., Bauch, J. 1967. On the closure of bordered pits in conifers. Wood Sci. Techn. 1: 1—13.

Books:
Wardrop, A. B. 1964. Structure and formation of the cell wall in xylem. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87-134.

According to the second system references are also introduced by author and year, but the alphabetical reference list may be abbreviated as follows.

Journal Articles:
Liese, W., Bauch, J. 1967. Wood Sci. Technol. 1: 1.

Books:
Wardrop, A. B. 1964. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87.

Figures: Illustrations are to be restricted to absolutely necessary clarifications of the text. The same information must not be presented in both a table and a figure. Figures are numbered with arabic numerals. Line drawings should, if at all possible, conform to the style of the journal and be done in india ink. Original drawings or photographic copies on glossy paper should be submitted with the manuscript. Letters and numbers must be sufficiently large to be readily legible after reduction to printed size. Photographs and photomicrographs must be printed on high-gloss paper and be rich in contrast. Lettering and other markings can be made by the author, provided they conform to the style of the journal; otherwise this will be done by the editorial office. In the latter case they should be submitted on a cover sheet. The orientation of the illustrations should be indicated. Photomicrographs should have a mark indicating magnification, preferably in micrometer. Only one set of original illustrations has to be submitted. Figure legends should be complete and readily understandable without reference to the text and be typed on a separate page in consecutive order. After publication, original illustrations will be returned to the author.

Proofs and reprints: Galley proofs are sent to the author in duplicates. One copy should be carefully corrected, using internationally accepted symbols. Authors will receive 50 reprints free of charge. Additional reprints will be supplied at cost and should be ordered on the form supplied for this purpose with the galley proofs.

The editorial office requests observance of these guidelines. This facilitates cooperation between authors and editors and helps shorten the period of publication.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin
Printed in Germany — Copyright © by Springer-Verlag Berlin · Heidelberg 1970

Wood Science and Technology

Contents — Vol. 4 (1970) No. 4

J. A. N. Scott and D. A. I. Goring	Photolysis of Wood Microsections in the Ultraviolet Microscope	237
J. Burley, T. Posner and P. Waters	Sampling Techniques for Measurement of Fibre Length in Eucalyptus Species	240
R. W. Hemingway and W. E. Hillis	Heartwood Formation in Living Stumps of Douglas-Fir	246
J. Burley	Variation in Wood Properties of Pinus kesiya Royle ex Gordon (syn. P. khasya Royle; P. insularis Endlicher); Eighteen Trees of Burma Provenance Grown in Zambia	255
J. H. Hart and K. C. Johnson	Production of Decay-Resistant Sapwood in Response to Injury	267
G. Keilich, P. Bailey and W. Liese	Enzymatic Degradation of Cellulose, Cellulose Derivatives and Hemicelluloses in Relation to the Fungal Decay of Wood	273
U. Tamburini	Alkaline Degradation of Wood: Effects on Young's Modulus	284
G. A. Nicholls	An Interpretive View of Refiner Pulping	292
A. F. Halligan	A Review of Thickness Swelling in Particleboard	301
T. M. Maloney	Fourth Particleboard Symposium Held at Washington State University	313

Indexed in Current Contents

Preview of Vol. 5 (1971) No. 1

D. E. Bland	The Relation of Lignin and Polyphenol Content of Tasmanian Ash (Eucalyptus delegatensis R. T. Bak.) to Shrinkage and Recovery
S.-Z. Chow	Infrared Spectral Characteristics and Surface Inactivation of Wood at High Temperatures
H. Greaves	The Bacterial Factor in Wood Decay
J. E. Nicholson	A Rapid Method for Estimating Longitudinal Growth Stresses in Logs
R. A. Parham and W. A. Coté, Jr.	Distribution of Lignin in Normal and Compression Wood of Pinus taeda L.
B. Thunell	Research Trends in Mechanical Wood Working
O. A. Young and M. J. Service	Slow Viscous Flow and the Organization of the Cell Wall in Conifer Tracheids

Springer-Verlag New York Inc., 175 Fifth Avenue, New York, N. Y. 10010 Telephone 673-2660